



Kappaphycus alvarezii

Red Algae

Threat Scores

1. Ecological Impact
 - This species has an extremely high growth rate; although it has been found to provide habitat for many marine species, it can smother coral reefs
 - It is used by humans as a homogenizer in many products
2. Invasive Potential
 - Since their introduction in Kaneohe Bay in 1974, they have spread at the rate of 260 m/yr
 - Kappaphycus spp. alga may be able to spread laterally but, does not appear to be able to spread long distances or between islands
 - Dispersal is thought to be constrained by size and weight, as it appears to become trapped in depressions and channels
3. Geographic Extent
 - Locally pervasive
4. Management Difficulty
 - Can re-grow from fragments as small as 0.5 cm making it an extremely difficult species to control



Geography and Habitat

1. Native: Malaysia, Sulu Sea, southern Philippines
2. Introduced: Hawai'i
3. Habitats
 - Marine, coral reefs, benthic, coastland , submerged substrates, floating populations

Invasion Pathways

1. Plants as food
 - Major producer of kappa-carrageenan, which is used for medicinal purposes and as a homogenizer in milk products, toothpaste, and jellies
2. Natural spread

Non-Native Locations

1. 152- Hawaiian Islands

Sources

1. Molnar, Jennifer et al. 2008. Assessing the global threat of invasive species to marine biodiversity. Frontiers in ecology and the environment. Vol. 6, No. 9, pp. 485-492.
2. <http://conserveonline.org/workspaces/global.invasive.assessment>
3. http://hawaii.edu/reefalgae/invasive_algae/rhodo/kappaphycus_alvarezii.htm
4. <http://www.issg.org/database/species/ecology.asp?fr=1&si=738&sts=>
5. <http://www.algaebase.org/mediafiles/algaebase/5B7BE95A076ca2C5C6moy2CC9616/CUZ7gkJqv3b9.jpg>